

# Canine flea, tick, and heartworm prevention and control guide

	Product	Form	Approvals	Active ingredient(s)	Ear mites (otodectes cynotis)	Fleas	Flies (biting)	Flies (sand)	Heartworms (dirofilaria immitis)	Hookworms (ancylostoma caninum)	Hookworms (ancylostoma braziliense)	Hookworms (uncinaria stenocephala)	Lice	Mites, mange (sarcoptes scabiei)	Mites (non-mange)	Mosquitos	Roundworms (toxocara canis)	Roundworms (toxascaris leonina)	Tapeworms (dipylidium caninum)	Tapeworms (echinococcus spp.)	Tapeworms (echinococcus spp.)	Ticks (amblyomma americanum "lone star ticks")	Ticks (amblyomma maculatum "gulf coast ticks")	Ticks (dermacentor variabilis "american dog ticks")	Ticks (ixodes scapularis "deer ticks", "black legged ticks")	Ticks (rhhipcephalus sanguineus "brown dog ticks")	Ticks (unspecified)	Whipworms (trichuris vulpis)	
Bayer	Advantage Multi® Topical Solution for Dogs (Rx)	Topical	Dogs age 7 weeks and older weighing 3 lbs or more	Imidacloprid (10%)/ Moxidectin (2.5%)		■			■	■	■			■			■	■										■	
	Advantage® II for Dogs	Topical	Dogs age 7 weeks and older weighing 3 lbs or more	Imidacloprid (9.1%)/ Pyriproxyfen (0.46%)		■							■																
	Coraxis™ Topical Solution for Dogs (Rx)	Topical	Dogs age 7 weeks and older weighing 3 lbs or more	Moxidectin (2.5%)					■	■	■						■	■										■	
	K9 Advantix® II	Topical	Dogs age 7 weeks and older weighing 4 lbs or more	Imidacloprid (8.8%)/ Permethrin (4.4%)/ Pyriproxyfen (0.44%)		■	■							■		■								■	■	■	■		
	Seresto® Dog	Collar	Dogs age 7 weeks and older	Flumethrin (4.5%)/ Imidacloprid (10%)		■								■	■								■	■	■	■			
Boehringer	Frontline® Gold for Dogs	Topical	Dogs age 8 weeks and older weighing 5 lbs or more	Fipronil (9.8%)/ (S)-Methoprene (8.8%)/ Pyriproxyfen (0.25%)		■							■									■	■	■	■				
	Frontline® Spray	Spray	Dogs age 8 weeks and older	Fipronil (0.29%)		■							■	■								■	■	■	■				
	Heartgard® Chewables for Dogs (Rx)	Chewable	Dogs age 6 weeks and older	Ivermectin (2.72 mcg/lb)					■																				

The products listed in this guide are those carried by MWI Animal Health that offer either preventive or treatment and control label claims for one or more parasites. This list does not include products that only serve to treat existing conditions (eg dewormers) or the environment (eg foggers; sprays). All data was gathered based on labels as listed in the Compendium of Veterinary Products on product packaging or on the manufacturer's website. Always refer to label before using product, particularly to distinguish between levels of protection and control. MWI Animal Health is not responsible for typographical errors, or otherwise.

# Canine flea, tick, and heartworm prevention and control guide

	Product	Form	Approvals	Active ingredient(s)	Ear mites (otodectes cynotis)	Fleas	Flies (biting)	Flies (sand)	Heartworms (dirofilaria immitis)	Hookworms (ancylostoma caninum)	Hookworms (ancylostoma braziliense)	Hookworms (uncinaria stenocephala)	Lice	Mites, mange (sarcoptes scabiei)	Mites (non-mange)	Mosquitos	Roundworms (toxocara canis)	Roundworms (toxascaris leonina)	Tapeworms (dipylidium caninum)	Tapeworms (echinococcus spp.)	Tapeworms (echinococcus spp.)	Ticks (amblyomma americanum "lone star ticks")	Ticks (amblyomma maculatum "gulf coast ticks")	Ticks (dermacentor variabilis "american dog ticks")	Ticks (ixodes scapularis "deer ticks", "black legged ticks")	Ticks (rhhipcephalus sanguineus "brown dog ticks")	Ticks (unspecified)	Whipworms (trichuris vulpis)
Boehringer	Heartgard® Plus Chewables for Dogs (Rx)	Chewable	Dogs age 6 weeks and older	Ivermectin (2.72 mcg/lb)/ Pyrantel (2.27 mg/lb)					■	■	■	■					■	■										
	Heartgard® Tablets for Dogs (Rx)	Tablet	Dogs age 6 weeks and older	Ivermectin (2.72 mcg/lb)					■																			
	NexGard™ Chewables (Rx)	Chewable	Dogs age 8 weeks and older weighing 4 lbs or more	Afoxolaner (1.14 mg/lb)		■																	■	■	■	■		
CAPInnoVet	PetPrevea™ Advanced for Dogs	Topical	Dogs age 7 weeks and older weighing 5 lbs or more	Imidacloprid (8.8%)/ Permethrin (4.4%)/ Pyriproxyfen (0.44%)		■	■						■			■						■	■	■	■			
	PetPrevea™ Plus for Dogs	Topical	Dogs age 8 weeks and older weighing 5 lbs or more	Fipronil (9.8%)/ (S)-Methoprene (8.8%)		■							■									■	■	■	■			
	Provecta™ Advanced for Dogs	Topical	Dogs age 7 weeks and older weighing 5 lbs or more	Imidacloprid (8.8%)/ Permethrin (4.4%)/ Pyriproxyfen (0.44%)		■	■						■				■						■	■	■	■		
Ceva	MilbeGuard™ Flavored Tablets (Rx)	Tablet	Dogs age 4 weeks and older weighing 2 lbs or more	Milbemycin Oxime (0.23 mg/lb)					■	■							■	■									■	
	Vectra for Dogs and Puppies®	Topical	Dogs age 8 weeks and older weighing 2.5 lbs or more	Dinotefuran (22%)/ Pyriproxyfen (3%)		■																						
	Vectra 3D® for Dogs and Puppies	Topical	Dogs age 8 weeks and older weighing 5 lbs or more	Dinotefuran (4.95%)/ Pyriproxyfen (0.44%)/ Permethrin (36.08%)		■	■	■								■	■						■	■	■	■		

The products listed in this guide are those carried by MWI Animal Health that offer either preventive or treatment and control label claims for one or more parasites. This list does not include products that only serve to treat existing conditions (eg dewormers) or the environment (eg foggers; sprays). All data was gathered based on labels as listed in the Compendium of Veterinary Products on product packaging or on the manufacturer’s website. Always refer to label before using product, particularly to distinguish between levels of protection and control. MWI Animal Health is not responsible for typographical errors, or otherwise.

# Canine flea, tick, and heartworm prevention and control guide

	Product	Form	Approvals	Active ingredient(s)	Ear mites (otodectes cynotis)	Fleas	Flies (biting)	Flies (sand)	Heartworms (dirofilaria immitis)	Hookworms (ancylostoma caninum)	Hookworms (ancylostoma braziliense)	Hookworms (uncinaria stenocephala)	Lice	Mites, mange (sarcoptes scabiei)	Mites (non-mange)	Mosquitos	Roundworms (toxocara canis)	Roundworms (toxascaris leonina)	Tapeworms (dipylidium caninum)	Tapeworms (echinococcus spp.)	Tapeworms (echinococcus spp.)	Ticks (amblyomma americanum "lone star ticks")	Ticks (amblyomma maculatum "gulf coast ticks")	Ticks (dermacentor variabilis "american dog ticks")	Ticks (ixodes scapularis "deer ticks", "black legged ticks")	Ticks (rhhipcephalus sanguineus "brown dog ticks")	Ticks (unspecified)	Whipworms (trichuris vulpis)	
Elanco	Comfortis® Chewable Tablets (Rx)	Chewable	Dogs age 14 weeks and older weighing 4.4 lbs or more	Spinosad (13.5 mg/lb)		■																							
	Credelio™ Chewable Tablets (Rx)	Tablet	Dogs age 8 weeks and older weighing 4.4 lbs or more	Lotilaner (9 mg/lb)		■																■		■	■	■			
	Interceptor® Flavor Tabs® (Rx)	Tablet	Dogs age 4 weeks and older weighing 2 lbs or more	Milbemycin Oxime (0.23 mg/lb)					■	■								■	■									■	
	Interceptor® Plus (Rx)	Chewable	Dogs age 6 weeks and older weighing 2 lbs or more	Milbemycin Oxime (0.23 mg/lb)/ Praziquantel (2.28 mg/lb)					■	■								■	■	■	■							■	
	Parastar® for Dogs	Topical	Dogs age 8 weeks and older weighing 4 lbs or more	Fipronil (9.7%)		■								■	■								■		■	■	■		
	Parastar® Plus for Dogs	Topical	Dogs age 12 weeks and older weighing 4 lbs or more	Fipronil (9.8%)/ Cyphenothrin (5.2%)		■								■	■								■		■	■	■		
	Trifexis® Chewable Tablets (Rx)	Chewable	Dogs age 8 weeks and older weighing 5 lbs or more	Milbemycin Oxime (0.2 mg/lb)/ Spinosad (13.5 mg/lb)		■			■	■								■	■									■	
Farnam	Adams™ Plus Flea & Tick Collar for Dogs	Collar	Dogs age 6 weeks and older	Tetrachlorvinphos (14.55%)/(S)-Methoprene (1.02%)		■																■		■		■			

The products listed in this guide are those carried by MWI Animal Health that offer either preventive or treatment and control label claims for one or more parasites. This list does not include products that only serve to treat existing conditions (eg dewormers) or the environment (eg foggers; sprays). All data was gathered based on labels as listed in the Compendium of Veterinary Products on product packaging or on the manufacturer's website. Always refer to label before using product, particularly to distinguish between levels of protection and control. MWI Animal Health is not responsible for typographical errors, or otherwise.

# Canine flea, tick, and heartworm prevention and control guide

	Product	Form	Approvals	Active ingredient(s)	Ear mites (otodectes cynotis)	Fleas	Flies (biting)	Flies (sand)	Heartworms (dirofilaria immitis)	Hookworms (ancylostoma caninum)	Hookworms (ancylostoma braziliense)	Hookworms (uncinaria stenocephala)	Lice	Mites, mange (sarcoptes scabiei)	Mites (non-mange)	Mosquitos	Roundworms (toxocara canis)	Roundworms (toxascaris leonina)	Tapeworms (dipylidium caninum)	Tapeworms (echinococcus spp.)	Tapeworms (echinococcus spp.)	Ticks (amblyomma americanum "one star ticks")	Ticks (amblyomma maculatum "gulf coast ticks")	Ticks (dermacentor variabilis "american dog ticks")	Ticks (ixodes scapularis "deer ticks", "black legged ticks")	Ticks (rhhipicephalus sanguineus "brown dog ticks")	Ticks (unspecified)	Whipworms (trichuris vulpis)	
Merck	Activyl® for Dogs and Puppies	Topical	Dogs age 8 weeks and older weighing 4 lbs or more	Indoxacarb (19.53%)		■																							
	Activyl® Protector Band for Dogs	Collar	Dogs age 12 weeks or older	Deltamethrin (4%)		■									■											■			
	Bravecto® 1- Month Chews (Rx)	Chewable	Dogs age 8 weeks and older weighing 4.4 lbs or more	Fluralaner (4.5 mg/lb)		■																	■		■	■	■		
	Bravecto® Chews (Rx)	Chewable	Dogs age 6 months and older weighing 4.4 lbs or more	Fluralaner (11.4 mg/lb)		■																		■		■	■	■	
	Bravecto® Topical Solution for Dogs (Rx)	Topical	Dogs age 6 months and older weighing 4.4 lbs or more	Fluralaner (11.4 mg/lb)		■																		■		■	■	■	
	Tri-Heart® Plus Chewable Tablets (Rx)	Chewable	Dogs age 6 weeks and older	Ivermectin (2.72 mcg/lb)/ Pyrantel (2.27 mg/lb)					■	■	■	■						■	■										
Promika	Salvo™ Flea & Tick Collar for Dogs	Collar	Dogs age 12 weeks or older	Deltamethrin (4%)		■																		■	■	■			
	ZoGuard® Plus For Dogs	Topical	Dogs age 8 weeks and older weighing 4 lbs or more	Fipronil (9.8%)/ (S)-Methoprene (8.8%)		■							■										■		■	■	■		

The products listed in this guide are those carried by MWI Animal Health that offer either preventive or treatment and control label claims for one or more parasites. This list does not include products that only serve to treat existing conditions (eg dewormers) or the environment (eg foggers; sprays). All data was gathered based on labels as listed in the Compendium of Veterinary Products on product packaging or on the manufacturer’s website. Always refer to label before using product, particularly to distinguish between levels of protection and control. MWI Animal Health is not responsible for typographical errors, or otherwise.

## Canine flea, tick, and heartworm prevention and control guide

	Product	Form	Approvals	Active ingredient(s)	Ear mites (otodectes cynotis)	Fleas	Flies (biting)	Flies (sand)	Heartworms (dirofilaria immitis)	Hookworms (ancylostoma caninum)	Hookworms (ancylostoma braziliense)	Hookworms (uncinaria stenocephala)	Lice	Mites, mange (sarcoptes scabiei)	Mites (non-mange)	Mosquitos	Roundworms (toxocara canis)	Roundworms (toxascaris leonina)	Tapeworms (dipylidium caninum)	Tapeworms (echinococcus spp.)	Tapeworms (echinococcus spp.)	Ticks (amblyomma americanum "lone star ticks")	Ticks (amblyomma maculatum "gulf coast ticks")	Ticks (dermacentor variabilis "american dog ticks")	Ticks (ixodes scapularis "deer ticks", "black legged ticks")	Ticks (rhhipcephalus sanguineus "brown dog ticks")	Ticks (unspecified)	Whipworms (trichuris vulpis)	
VetOne	CrossBlock II™ For Dogs and Puppies	Topical	Dogs age 7 weeks and older weighing 3 lbs or more	Imidacloprid (9.1%)/ Pyriproxyfen (0.46%)		■																							
	Selarid™ for Dogs (Rx)	Topical	Dogs age 6 weeks and older	Selamectin (2.7 mg/lb)	■	■			■					■									■						
	VetriShield Max™ Chewable Tablets for Dogs (Rx)	Chewable	Dogs age 8 weeks and older weighing 6 lbs or more	Ivermectin (2.72 mcg/lb)/ Pyrantel (2.27 mg/lb)/ Praziquantel (2.27 mg/lb)					■	■	■	■						■	■	■		■							
	VetriShield Plus™ Flavored Chewables for Dogs (Rx)	Chewable	Dogs age 6 weeks and older	Ivermectin (2.72 mcg/lb)/ Pyrantel (2.27 mg/lb)					■	■	■	■						■	■										
Virbac	Effipro® Plus Topical Solution for Dogs	Topical	Dogs age 8 weeks and older weighing 5 lbs or more	Fipronil (9.78%)/ Pyriproxyfen (2.94%)		■							■	■													■		
	Effitix® Plus Topical Solution for Dogs	Topical	Dogs age 8 weeks and older weighing 5 lbs or more	Fipronil (6%)/ Permethrin (44.8%)/ Pyriproxyfen (1.8%)		■	■						■			■							■	■	■	■			
	Effitix® Topical Solution for Dogs	Topical	Dogs age 12 weeks and older weighing 5 lbs or more	Fipronil (6.01%)/ Permethrin (44.88%)		■	■						■	■		■							■	■	■	■			
	Iverhart Max® Soft Chews (Rx)	Chewable	Dogs age 8 weeks and older weighing 6 lbs or more	Ivermectin (2.72 mcg/lb)/ Pyrantel (2.27 mg/lb)/ Praziquantel (2.27 mg/lb)					■	■	■	■						■	■	■		■							

The products listed in this guide are those carried by MWI Animal Health that offer either preventive or treatment and control label claims for one or more parasites. This list does not include products that only serve to treat existing conditions (eg dewormers) or the environment (eg foggers; sprays). All data was gathered based on labels as listed in the Compendium of Veterinary Products on product packaging or on the manufacturer's website. Always refer to label before using product, particularly to distinguish between levels of protection and control. MWI Animal Health is not responsible for typographical errors, or otherwise.

# Canine flea, tick, and heartworm prevention and control guide

	Product	Form	Approvals	Active ingredient(s)	Ear mites (otodectes cynotis)	Fleas	Flies (biting)	Flies (sand)	Heartworms (dirofilaria immitis)	Hookworms (ancylostoma caninum)	Hookworms (ancylostoma braziliense)	Hookworms (uncinaria stenocephala)	Lice	Mites, mange (sarcoptes scabiei)	Mites (non-mange)	Mosquitos	Roundworms (toxocara canis)	Roundworms (toxascaris leonina)	Tapeworms (dipylidium caninum)	Tapeworms (echinococcus spp.)	Tapeworms (echinococcus spp.)	Ticks (amblyomma americanum "lone star ticks")	Ticks (amblyomma maculatum "gulf coast ticks")	Ticks (dermacentor variabilis "american dog ticks")	Ticks (ixodes scapularis "deer ticks", "black legged ticks")	Ticks (rhhipicephalus sanguineus "brown dog ticks")	Ticks (unspecified)	Whipworms (trichuris vulpis)
Virbac	Iverhart Plus® Flavored Chewables (Rx)	Chewable	Dogs age 6 weeks and older	Ivermectin (2.72 mcg/lb)/ Pyrantel (2.27 mg/lb)					■	■	■	■					■	■										
	Preventic® Tick Collar for Dogs	Collar	Dogs age 12 weeks or older	Amitraz (9%)																						■		
	Senergy™ for Dogs (Rx)	Topical	Dogs age 6 weeks or older	Selamectin (2.7 mg/lb)	■	■			■					■										■				
	Sentinel® Flavor Tabs® (Rx)	Tablet	Dogs age 4 weeks and older weighing 2 lbs or more	Milbemycin Oxime (0.23 mg/lb)/ Lufenuron (4.55 mg/lb)			■		■	■								■	■									■
	Sentinel® Spectrum® (Rx)	Chewable	Dogs age 6 weeks and older weighing 2 lbs or more	Milbemycin Oxime (0.23 mg/lb)/ Lufenuron (4.55 mg/lb)/ Praziquantel (2.28 mg/lb)			■		■	■								■	■		■	■						■
Zoetis	ProHeart® 6 Injectable for Dogs (Rx)	Injectable	Dogs age 6 months and older	Moxidectin (0.0773 mg/lb)					■	■		■																
	ProHeart® 12 Injectable Suspension (Rx)	Injectable	Dogs age 6 months and older	Moxidectin (0.23 mg/lb)					■	■		■																
	Revolution® for Dogs (Rx)	Topical	Dogs age 6 weeks and older	Selamectin (2.7 mg/lb))	■	■			■					■										■				
	Simparica™ Chewables (Rx)	Chewable	Dogs age 6 months and older weighing 2.8 lbs or more	Sarolaner (0.91 mg/lb)			■																■	■	■	■	■	
	Simparica TRIO™ Chewable Tablets (Rx)	Chewable	Dogs age 8 weeks and older weighing 2.8 lbs or more	Sarolaner (0.54 mg/lb)/ Moxidectin (0.011 mg/lb)/ Pyrantel (2.27 mg/lb)		■			■	■		■						■	■				■	■	■	■	■	

The products listed in this guide are those carried by MWI Animal Health that offer either preventive or treatment and control label claims for one or more parasites. This list does not include products that only serve to treat existing conditions (eg dewormers) or the environment (eg foggers; sprays). All data was gathered based on labels as listed in the Compendium of Veterinary Products on product packaging or on the manufacturer's website. Always refer to label before using product, particularly to distinguish between levels of protection and control. MWI Animal Health is not responsible for typographical errors, or otherwise.

## Feline flea, tick, and heartworm prevention and control guide

	Product	Form	Approvals	Active ingredient(s)	Ear mites (otodectes cynotis)	Fleas	Heartworms (dirofilaria immitis)	Hookworms (ancylostoma tubaeforme)	Hookworms (ancylostoma braziliense)	Lice (chewing)	Mange (sarcoptes scabiei)	Mosquitos	Roundworms (toxocara canis)	Roundworms (toxocara cati)	Roundworms (toxascaris leonina)	Ticks (amblyomma americanum "lone star ticks")	Ticks (amblyomma maculatum "gulf coast ticks")	Ticks (dermacentor variabilis "american dog ticks")	Ticks (ixodes scapularis "deer ticks", "black legged ticks")	Ticks (hipicephalus sanguineus "brown dog ticks")	Ticks (unspecified)
Bayer	Advantage Multi® for Cats (Rx)	Topical	Cats age 9 weeks and older weighing 2 lbs or more	Imidacloprid (10%)/ Moxidectin (1%)	■	■	■	■					■								
	Advantage® II for Cats	Topical	Cats age 8 weeks and older weighing 2 lbs or more	Imidacloprid (9.1%)/ Pyriproxyfen (0.46%)		■															
	Seresto® Cat	Collar	Cats age 10 weeks and older	Flumethrin (4.5%)/ Imidacloprid (10%)		■										■		■	■	■	
Boehringer	Centragard™ for Cats (Rx)	Topical	Cats age 7 weeks and older weighing 1.8 lbs or more	Eprinomectin (0.23 mg/lb)/ Praziquantel (4.55 mg/lb)			■	■	■					■							
	Frontline® Gold for Cats	Topical	Cats age 8 weeks and older weighing 3 lbs or more	Fipronil (9.8%)/ (S)-Methoprene (11.8%)/ Pyriproxyfen (0.25%)		■				■		■				■		■	■	■	
	Frontline® Spray	Spray	Cats age 8 weeks and older	Fipronil (0.29%)		■				■						■		■	■	■	
	Heartgard® Chewables for Cats (Rx)	Chewable	Cats age 6 weeks and older	Ivermectin (10.9 mcg/lb)			■	■	■												
CAPInnoVet	PetPrevea™ II for Cats	Topical	Cats age 8 weeks and older weighing 5 lbs or more	Imidacloprid (9.1%)/ Pyriproxyfen (0.46%)		■															
	PetPrevea™ Plus for Cats	Topical	Cats age 8 weeks and older weighing 1.5 lbs or more	Fipronil (9.8%)/ (S)-Methoprene (11.8%)		■				■						■		■	■	■	
	Provecta™ for Cats	Topical	Cats age 8 weeks and older weighing 5 lbs or more	Imidacloprid (9.1%)/ Pyriproxyfen (0.46%)		■															

The products listed in this guide are those carried by MWI Animal Health that offer either preventive or treatment and control label claims for one or more parasites. This list does not include products that only serve to treat existing conditions (eg dewormers) or the environment (eg foggers; sprays). All data was gathered based on labels as listed in the Compendium of Veterinary Products on product packaging or on the manufacturer's website. Always refer to label before using product, particularly to distinguish between levels of protection and control. MWI Animal Health is not responsible for typographical errors, or otherwise.

## Feline flea, tick, and heartworm prevention and control guide

	Product	Form	Approvals	Active ingredient(s)	Ear mites (otodectes cynotis)	Fleas	Heartworms (dirofilaria immitis)	Hookworms (ancylostoma tubaeforme)	Hookworms (ancylostoma braziliense)	Lice (chewing)	Mange (sarcoptes scabiei)	Mosquitos	Roundworms (toxocara canis)	Roundworms (toxocari cati)	Roundworms (toxascaris leonina)	Ticks (amblyomma americanum "lone star ticks")	Ticks (amblyomma maculatum "gulf coast ticks")	Ticks (dermacentor variabilis "american dog ticks")	Ticks (ixodes scapularis "deer ticks", "black legged ticks")	Ticks (hipicephalus sanguineus "brown dog ticks")	Ticks (unspecified)	
Ceva	Catego™ for Cats	Topical	Cats age 8 weeks and older weighing 1.5 lbs or more	Dinotefuran (22%)/ Fipronil (8.92%)/ Pyriproxyfen (3%)		■				■											■	
	MilbeGuard™ Flavored Tablets (Rx)	Tablet	Cats age 6 weeks and older weighing 1.5 lbs or more	Milbemycin Oxime (0.23 mg/lb)			■		■					■								
	Vectra for Cats and Kittens®	Topical	Cats age 8 weeks and older weighing 2 lbs or more	Dinotefuran (22%)/ Pyriproxyfen (3%)		■																
Elanco	Cheristin® for Cats	Topical	Cats age 8 weeks and older weighing 1.8 lbs or more	Spinetoram (11.2%)		■																
	Comfortis® Chewable Tablets (Rx)	Chewable	Cats age 14 weeks and older weighing 4.1 lbs or more	Spinosad (22.5 mg/lb)		■																
	EasySpot® for Cats	Topical	Cats age 8 weeks and older weighing 1.5 lbs or more	Fipronil (9.7%)		■				■						■		■	■	■		
	Interceptor® Flavor Tabs® (Rx)	Tablet	Cats age 6 weeks and older weighing 1.5 lbs or more	Milbemycin Oxime (0.9 mg/lb)			■		■					■								
Farnam	Adams™ Plus Flea & Tick Collar for Cats	Collar	Cats age 12 weeks and older	Tetrachlorvinphos (14.55%)/ (S)-Methoprene (1.02%)		■															■	

The products listed in this guide are those carried by MWI Animal Health that offer either preventive or treatment and control label claims for one or more parasites. This list does not include products that only serve to treat existing conditions (eg dewormers) or the environment (eg foggers; sprays). All data was gathered based on labels as listed in the Compendium of Veterinary Products on product packaging or on the manufacturer's website. Always refer to label before using product, particularly to distinguish between levels of protection and control. MWI Animal Health is not responsible for typographical errors, or otherwise.



## Feline flea, tick, and heartworm prevention and control guide

	Product	Form	Approvals	Active ingredient(s)	Ear mites (otodectes cynotis)	Fleas	Heartworms (dirofilaria immitis)	Hookworms (ancylostoma tubaeforme)	Hookworms (ancylostoma braziliense)	Lice (chewing)	Mange (sarcoptes scabiei)	Mosquitos	Roundworms (toxocara canis)	Roundworms (toxocara cati)	Roundworms (toxascaris leonina)	Ticks (amblyomma americanum "lone star ticks")	Ticks (amblyomma maculatum "gulf coast ticks")	Ticks (dermacenter variabilis "american dog ticks")	Ticks (ixodes scapularis "deer ticks", "black legged ticks")	Ticks (hipicephalus sanguineus "brown dog ticks")	Ticks (unspecified)
Merck	Activyl® for Cats & Kittens	Topical	Cats age 8 weeks and older weighing 2 lbs or more	Indoxacarb (19.53%)		■															
	Bravecto® Plus for Cats (Rx)	Topical	Cats age 6 months and older weighing 2.6 lbs or more	Fluralaner (18.2 mg/lb)/Moxidectin (0.9 mg/lb)		■	■	■					■					■	■		
	Bravecto® Topical Solution for Cats (Rx)	Topical	Cats age 6 months and older weighing 2.6 lbs or more	Fluralaner (18.2 mg/lb)		■												■	■		
Promika	ZoGuard® Plus for Cats	Topical	Cats age 8 weeks and older weighing 1.5 lbs or more	Fipronil (9.8%)/ (S)-Methoprene (11.8%)		■			■						■		■	■	■		
VetOne	CrossBlock II™ For Cats	Topical	Cats age 8 weeks and older weighing 2 lbs or more	Imidacloprid (9.1%)/ Pyriproxyfen (0.46%)		■															
	Selarid™ for Cats (Rx)	Topical	Cats age 8 weeks and older	Selamectin (2.7 mg/lb)	■	■	■		■				■								
Virbac	Effipro® Plus Topical Solution for Cats	Topical	Cats age 8 weeks and older weighing 1.5 lbs or more	Fipronil (9.58%)/ Pyriproxyfen (11.65%)		■			■												■
	Senergy™ for Cats (Rx)	Topical	Cats age 8 weeks and older	Selamectin (2.7 mg/lb)	■	■	■		■				■								
Zoetis	Revolution® for Cats (Rx)	Topical	Cats age 8 weeks and older	Selamectin (2.7 mg/lb)	■	■	■		■				■								
	Revolution® Plus (Rx)	Topical	Cats age 8 weeks and older weighing 2.8 lbs or more	Selamectin (2.7 mg/lb)/ Sarolaner (0.45 mg/lb)	■	■	■		■				■				■	■	■		

The products listed in this guide are those carried by MWI Animal Health that offer either preventive or treatment and control label claims for one or more parasites. This list does not include products that only serve to treat existing conditions (eg dewormers) or the environment (eg foggers; sprays). All data was gathered based on labels as listed in the Compendium of Veterinary Products on product packaging or on the manufacturer's website. Always refer to label before using product, particularly to distinguish between levels of protection and control. MWI Animal Health is not responsible for typographical errors, or otherwise.